



DECORATIVE EFFECTS catalogue

Wrocław, **GREEN DAY**



Warszawa, **COURTYARD BY MARRIOTT OKĘCIE**

Sopot, **HOTEL SOPOT**




Wejherowo, **RESTAURACJA LA STRADA**

PEARL RELIEF effect


FOX
DEKORATOR



silver




white



brown



green



gold



cuprum



grey

PEARL RELIEF – thin-coat metallic decorative mass. Forms exclusive pearl coating resembling the look of velvet fabric. Creates cosy and glamorous interior with the velour finish.

phases of the **EFFECT** application



phase I: Apply base coat paint Initium Color upon clean and dry surface.



phase II: Apply layer of Pearl Relief with irregular moves of a plastic trowel in order to form the pattern.



phase III: If needed, apply second coat similarly to the previous one.

ready-to-use colours – available in stock

products necessary for the effect application:



INITIUM COLOR
approx. 9 m² / kg



PEARL RELIEF
approx. 8 m² / kg
for one layer

DIAMENTO 3D effect

FOX
DEKORATOR



luna



mars



gold



malachit



saturn



neptun



carbon

DIAMENTO 3D – structural decorative paint with glitter. Forms unique pattern and effect of shimmering glass, owing to the content of metallic fillers. Easy and convenient application ensures quick room makeover.

phases of the **EFFECT** application



phase I: Apply base coat paint Initium Color upon clean and dry surface.



phase II: Apply coat of Diamento 3D with irregular moves of a paintbrush.



phase III: Start shaping the surface a few minutes after the paint application.

ready-to-use colours – available in stock


products necessary for the effect application:



INITIUM COLOR
approx. 9 m²/l



DIAMENTO 3D
approx. 5 m²/l



multikolor



luna



venus



mars



gold



cuprum



carbon

DIAMENTO – decorative paint with glitter which reflects the light with the effect of shimmering diamonds. Its fine structure adds subtle elegance which is amplified by intensive lightning.

phases of the **EFFECT** application



phase I: Apply base coat paint Initium Color upon clean and dry surface.



phase II: Apply the first coat of Diamonto with irregular moves of a string roller.



phase III: When the first coat dries, apply the second coat of Diamonto similarly to the previous one.

ready-to-use colours – available in stock

products necessary for the effect application:



INITIUM COLOR
approx. 9 m²/l



DIAMENTO
approx. 5 m²/l



KALAHARI – pearl structural paint with the effect of windblown desert sand. Subtle, metallic shine will add elegance and extraordinary style to the painted interior.

phases of the **EFFECT** application



phase I: Apply base coat paint Initium Color upon clean and dry surface.



phase II: Apply a coat of Kalahari with irregular moves of a paintbrush.



phase III: Start shaping the surface a few minutes after the paint application.



sol



lapis



vesper



sabulum



nebula



noster



viridis



marinus



noctis

ready-to-use colours – available in stock

products necessary for the effect application:



INITIUM COLOR
approx. 9 m²/l



KALAHARI
approx. 10 m²/l

SANDSTORM effect

FOX
DEKORATOR



SANDSTORM effect – pearl decorative coat with natural aggregate. Bold and modern and on the other hand stylish and delicate, recalls the appearance of zen garden and transfers to the world of exotic lands.

phases of the **EFFECT** application



phase I: Apply base coat paint Initium upon clean and dry surface.



phase II: Apply Zen paint with paintbrush upon the white surface, form the pattern.



phase III: When the coat dries, apply coloured Pearl Patina with a string roller, with irregular crosswise moves led in all directions.



sunny glow



caramel tinge



mineral redness



alpine violet



pistachio ice cream



blue lagoon



ashy brown



concrete loft



breton blue

colouring: 1 tube of Pigment Concentrate 40 ml/ 1 l of Pearl Patina

products necessary for the effect application:



ZEN PAINT

approx. 7 m²/l



PEARL PATINA

approx. 10 m²/l

colouring

+



PIGMENT
CONCENTRATE 40 ml

1 pc./1 l of Pearl Patina

Please see instructional films on **FOX DEKORATOR YouTube channel**



PEARL ZEN – metallic structural paint with natural aggregate. Pearl glow brings beauty and elegance to the interior, irregularly distributed sand particles allows to calm down and relax.

phases of the **EFFECT** application




phase I: Apply base coat paint Initium Color upon clean and dry surface.



phase II: Apply a coat of Pearl Zen with irregular moves of a paintbrush.



phase III: Start shaping the surface a few minutes after the paint application.




coconut cream



natural linen



sunny glow



chocolate bar



blue lagoon



breton blue



raspberry sorbet



cassel soil



graphite greyness

ready-to-use colours – available in stock

products necessary for the effect application:



INITIUM COLOR
approx. 9 m²/l



PEARL ZEN
approx. 7 m²/l

CORROSION effect

FOX
DEKORATOR



CORROSION effect – formed by natural corrosion process. Each decorated surface is unique, just like rusty plate, covered with stains and leakages.

phases of the **EFFECT** application



phase I: Apply the Bonding Primer upon clean and dry surface.



phase II: Apply a coat of Industrial Rust upon small surface with a venetian trowel.



phase III: Apply the Rust Activator with an atomiser, avoid forming leakages. Slightly smoothen the surface with a trowel.



phase IV: Form the structure on dry surface by applying material with a sponge.



phase V: Apply the Rust Activator with an atomiser upon freshly applied material.



phase VI: After 24 h apply colourless Decorative Varnish with a paintbrush or a roller.



products necessary for the effect application:



BONDING
PRIMER

approx. 7 m²/kg



INDUSTRIAL RUST

approx. 1 m²/kg



RUST
ACTIVATOR

0,5 l/8 kg of Industrial
Rust plaster



DECORATIVE
VARNISH

approx. 10 m²/l

Please see instructional films on **FOX DEKORATOR YouTube channel**

CORTEN STEEL effect

FOX
DEKORATOR



CORTEN STEEL effect – imitates one of the avant-garde architectural solutions used for wall decoration. Perfectly complements industrial style of modern interiors.

phases of the **EFFECT** application



phase I: Apply the Bonding Primer upon clean and dry surface.



phase II: Apply a coat of Industrial Rust mixed with the Rust Activator.



phase III: Apply the second coat in a similar way to the first one.



phase IV: After 24 h, apply colourless Decorative Varnish with a paintbrush or roller.

* CAUTION! After mixing of two products, the decorative effect should be applied within 2-3 days (after this time corrosion activation takes place in a container and product gets hardened). In order to slow down the process in case of breaks in the work, surface of applied Industrial Rust must be covered with a foil attached to the packaging.



products necessary for the effect application:



BONDING PRIMER

approx. 7 m²/kg



INDUSTRIAL RUST

approx. 1 m²/kg



RUST ACTIVATOR



DECORATIVE VARNISH

approx. 10 m²/l

Please see instructional films on **FOX DEKORATOR YouTube channel**

RUST effect



RUST effect – set of products and tools for application of a rust effect. Perfect as a main element of interior design, as well as a detail with an industrial character, while not depriving its cosiness.

phases of the **EFFECT** application



phase I: Apply base coat paint Initium Color upon clean and dry surface.



phase II: Apply Product 1 with a sponge and add Product 2 while the first coat is still wet.



phase III: Fill the gaps between two colours until the expected effect is formed.



RUST effect
set for 10 m²

Please see instructional films on **FOX DEKORATOR YouTube channel**

BRUSHED ALUMINUM effect



BRUSHED ALUMINUM effect – set of products and tools for application of an aluminium plate effect. Easy to apply, suitable not only for rough, minimalistic interiors or lofts but also for more classical and vintage ones.

phases of the **EFFECT** application



phase I: Apply base coat paint Initium Color upon clean and dry surface.



phase II: Apply Product 1 with a paintbrush and add Product 2 while the first coat is still wet.



phase III: Apply products in strips along the pattern. Rub both colours together until slight colour interfusion forms.



phase IV: Effect can be emphasised by combing decoration with a brush trowel.



BRUSHED
ALUMINUM effect
set for 10 m²

HOARFROST effect

COPPER effect

FOX
DEKORATOR



HOARFROST effect – creative surface decoration kit. Product combination imitates a silvery-white precipitate of ice crystals that diversify the decor in a unique way.

COPPER effect – surface decoration kit for application of the effect of copper sheet. Copper makes industrial interiors more cosy and emphasizes the beauty of the more elegant ones.


phases of the **EFFECT** application



phase I: Apply the Product 1 with venetian trowel upon 1-2 m² of surface previously primed with the Bonding Primer.



phase II: Shape texture of wet mass with a sponge roller.



phase III: Apply the Product 2 by stamping it with a sponge. Next, apply the Product 3 in the same way, while the first one is still wet.



phase IV: When surface initially dries, smoothen it with a venetian trowel.



phase V: Apply silver Metallic Varnish upon the surface and remove excess with a float.



phase VI: Apply Decorative Varnish mixed with Brocade upon the surface.



phase I: Apply the Product 1 with venetian trowel upon 1-2 m² of surface previously primed with the Bonding Primer.



phase II: Shape texture of a wet mass with a sponge roller.



phase III: Apply the Product 2 by stamping it with a sponge.



phase IV: Apply the Product 3 in the same way, while the previous one is still wet.



phase V: When the surface initially dries, smoothen it with venetian trowel.



phase VI: Apply the Product 4 upon the surface and remove excess with a float.

DECORATIVE MOSS effect

SNOW DUST effect

FOX
DEKORATOR



DECORATIVE MOSS effect – brings the opportunity to form unique effect of a wall covered with moss. Owing to the selected compounds, gently reflects the light and creates the impression of morning dew on the forest undergrowth.

SNOW DUST effect – structural paint with glitter, which makes the wall sparkle like fresh snow in a frosty morning. Makes decorated interiors more spacious with multidimensional shine.

phases of the **EFFECT** application



phase I: Stain Bonding Primer with a Chocolate Bar pigment (the pigment included in the kit) and prime entire surface.



phase II: Apply the Product 1 with a sponge. Add the Product 2 at some places.



phase III: Merge product colours by stamping surface with a dry sponge in order to obtain smooth colour transition.

products necessary for the effect application:



BONDING
PRIMER
approx. 7 m²/kg



DECORATIVE
MOSS
approx. 3,5 m²/kg

phases of the **EFFECT** application



phase I: Apply base coat paint Initium Color (Product 1) upon clean and dry surface.



phase II: Apply coat of Diamento 3D (Product 2) with a paintbrush.



phase III: Start shaping the surface a few minutes after the paint application.

products necessary for the effect application:



SNOW DUST
effect
set for 5 m²

BLACK OBSIDIAN effect

SEA SALT effect



BLACK OBSIDIAN effect – plaster containing natural aggregate in deep black shade. Brings elegance and modern sophisticated style. Appropriately illuminated reflects light under various angles and shines with mysterious glow.

SEA SALT effect – selected blend of transparent aggregates which adds an effect of a salt cave. Diversifies interior appearance in a unique way by bringing a bit of mystery.

phases of the **EFFECT** application




phase I: Apply the Bonding Primer upon clean and dry surface.



phase II: Apply a smooth layer of Black Obsidian with a venetian trowel.



phase III: Smoothen surface with circular moves of trowel.



phase I: Apply the Bonding Primer upon clean and dry surface.



phase II: Apply a smooth coat of Sea Salt with plastic trowel. Mixing and application must be carried out only with plastic tools.



phase III: When the first coat dries, add mass at some spots and press with a sponge.

products necessary for the effect application:



BONDING PRIMER
approx. 7 m²/kg



BLACK OBSIDIAN
approx. 3 m²/ 8 kg



BONDING PRIMER
approx. 7 m²/kg



SEA SALT
approx. 2,5 m²/ 10 kg

CLASSIC STUCCO effect

FOX
DEKORATOR



cassel soil




blue lagoon




alpine violet



pistachio ice cream



amazon breeze



misty daybreak

CLASSIC STUCCO – exclusive coating with perfectly smooth finish and extraordinary gloss characteristic to the antique decoration techniques.

phases of the **EFFECT** application



phase I: When the substrate is excessively absorptive, prime it with the Primer. Paint surface with the base coat paint Initium.



phase II: Apply first thin layer of coloured Classical Stucco.



phase III: Apply second layer of Stucco and form the pattern.



phase IV: Apply third layer of Stucco and smoothen the substrate as much as possible.



phase V: Apply a layer of Decorative Wax with microfibre cloth and polish the surface.



lime rock



menthol green



chocolate bar

colouring: 4 tubes of Pigment Concentrate 40 ml/ 4 kg of Classic Stucco

products necessary for the effect application:



PRIMER

approx. 8 m²/l



INITIUM
COLOR

approx. 9 m²/l



CLASSIC
STUCCO

approx. 2 m²/kg

colouring

+



PIGMENT
CONCENTRATE 40 ml

4 pc. / 4 kg
of Classic Stucco



WAX
IMPEGNATION

approx. 18 m²/ 0,3 l

Please see instructional films on **FOX DEKORATOR YouTube channel**



graphite greyiness / DIAMENTO: carbon

METEORITE Effect – decorative coating with a sparkling effect illuminated even with the slightest ray of light. This effect can be used in any interior styling you design.

phases of the **EFFECT** application



phase I: Apply the Bonding Primer upon clean and dry surface.



phase II: Apply coloured Sandstone with a venetian trowel.



phase III: Shape the pattern by dragging the brush trowel upon the surface.



phase IV: Cover surface with the colourless Decorative Varnish.



phase V: Apply the DIAMENTO paint with a brush.



phase VI: While the surface is still wet, distribute DIAMENTO evenly with the brush trowel.



cassel soil / DIAMENTO: luna



sunny glow / DIAMENTO: gold



cassel soil / DIAMENTO: cuprum

products necessary for the effect application:



BONDING PRIMER

approx. 7 m²/kg



SANDSTONE

approx. 1 m²/kg

PIGMENT CONCENTRATE 40 ml

3 pcs./4 kg Sandstone



DECORATIVE VARNISH

approx. 10 m²/l



DIAMENTO

approx. 7 m²/l per layer

ANTIQUE SANDSTONE effect

FOX
DEKORATOR



caramel tinge

ANTIQUE SANDSTONE Effect – decorative coat imitating windswept and sunburnt antique Mediterranean plasters. Three-dimensional structure brings wide arrangement possibility, perfectly matches e.g. timber.

phases of the **EFFECT** application



phase I: Apply the Bonding Primer upon clean and dry surface.



phase II: Apply 2-3 mm layer of Sandstone with a venetian trowel.



phase III: Shape the pattern with a trowel led flat upon the material.




phase IV: Apply colourless Decorative Varnish upon the surface.



phase V: Apply Decorative Varnish coloured with the Pigment.



phase VI: Wash off excess of Varnish from material tops with a damp sponge.



chocolate bar



cassel soil



graphite greyness

colouring: 1 tube of Pigment 20 ml/ 1 l of Decorative Varnish

products necessary for the effect application:



Please see instructional films on **FOX DEKORATOR YouTube channel**

MOON ROCK effect

FOX
DEKORATOR




caramel tinge

MOON ROCK effect – ageless decoration, referring to the surface of moon and its pearl shine. Its structure allows for obtaining interesting visual effect, illuminates and refreshes the interior appearance.

phases of the **EFFECT** application



phase I: Apply the Bonding Primer upon clean and dry surface.



phase II: Apply the Sandstone and shape with sponge roller.



phase III: Smoothen the material with edge of trowel while the surface initially dries.



phase IV: Slightly treat the surface with a sanding paper, then cover it with colourless Decorative Varnish.



phase V: Apply coloured Pearl Patina with a roller with irregular crosswise moves led in all directions.



phase VI: Remove excess of material with a wall scraper.



ashy brown



menthol green



concrete loft

colouring: 1 tube of Pigment Concentrate 40 ml/ 1 l of Pearl Patina

products necessary for the effect application:



BONDING
PRIMER

approx. 7 m²/kg



SANDSTONE

approx. 0,75 m²/kg



DECORATIVE
VARNISH

approx. 10 m²/l



PEARL
PATINA

approx. 10 m²/l

PIGMENT
CONCENTRATE 40 ml

1 pc./1 l of Pearl Patina

LIME TRAVERTINE effect

FOX
DEKORATOR



LIME TRAVERTINE effect – natural lime plaster with an effect of natural stone. Combines elegance, luxury and extraordinary workability. Allows for application of decorative coats with refined structure and makes the interior cosy, clean and modern.

phases of the **EFFECT** application



phase I: Apply Lime Travertine on a thickness of aggregate upon the surface primed with the Bonding Primer.



phase II: Slightly moisten surface before application of second coat. Apply second layer of the Travertine.



phase III: When material initially dries, scratch scores and smoothen the surface



phase IV: Cover surface with colourless Decorative Varnish



phase V: Apply Decorative Varnish coloured with the Pigment 20 ml.



phase VI: Wash excess of material with a sponge, frequently rinse the sponge with water.



travertine: fine (lime stone)



travertine: super fine (concrete loft)



travertine: coarse (caramel tinge)


products necessary for the effect application:

 BONDING PRIMER approx. 7 m ² /kg	 LIME TRAVERTINE super fine - approx. 1,25 m ² /kg fine - approx. 0,7 m ² /kg coarse - approx. 0,4 m ² /kg	 DECORATIVE VARNISH approx. 15 m ² /l	<div style="display: flex; align-items: center;"> <div style="text-align: center;">  DECORATIVE VARNISH approx. 20 m²/l </div> <div style="margin: 0 10px;">+</div> <div style="text-align: center;">  PIGMENT 20 ml 1 pc./ 1 l of Decorative Varnish </div> </div>
--	---	--	---

Please see instructional films on **FOX DEKORATOR YouTube channel**

TERRA ANTICA effect

GREEK ISLANDS effect



TERRA ANTICA effect – natural lime plaster. Decorated wall refers to the polished stone and shining particles of mica recalls the ice crystals which underlines the aesthetics of decorative effect. This is a solution for people who value ageless interior design.

GREEK ISLANDS effect – extraordinary way of use of Lime Travertine. Irregularly distributed and finished with shiny Brocade particles imitates cut stone, which perfectly matches interiors inspired by the nature.

phases of the **EFFECT** application



phase I: Apply coloured Lime Travertine mixed with mica upon the surface primed with the Bonding Primer and smoothen the surface.

phase II: Slightly moisten the surface before application of second coat. Apply second coat of Travertine. Smoothen surface with a trowel while product initially dries.

phase III: Apply colourless Decorative Varnish upon the surface.

phases of the **EFFECT** application




phase I: Apply coloured Lime Travertine upon the surface previously primed with the Bonding Primer.


phase II: Slightly moisten the surface before application of the next layer. Apply second layer of Travertine at some spots and shape the pattern.

phase III: While material initially dries, smoothen the surface with the edge of trowel. Cover surface with the colourless Decorative Varnish mixed with Brocade.

products necessary for the effect application:



products necessary for the effect application:





basic colour (similar to natural one)

CONCRETE – the essence of simplicity and modern design. Fashionable, very practical and convenient element of interior design, perfectly matches with metal, glass and raw timber.

phases of the **EFFECT** application



phase I: Apply the Concrete with a venetian trowel upon the surface previously primed with the Bonding Primer.



phase II: When the Concrete dries, adhere tape in order to imitate rustications.



phase III: Slightly moisten the surface and apply a next layer of Concrete.



phase IV: While surface initially dries, smoothen it with an edge of trowel until obtaining desired level of smoothness.



phase V: When surface is still wet, remove tapes.



phase VI: Apply colourless Decorative Varnish.



natural linen



breton blue



graphite greyness

colouring: 1 tube of Pigment Concentrate 40 ml/ 5 kg of Concrete

products necessary for the effect application:



BONDING
PRIMER
approx. 7 m²/kg



CONCRETE
approx. 0,6 m²/kg




DECORATIVE
VARNISH
approx. 15 m²/l



THIN TAPE
for rustications forming

DECORATIVE CONCRETE effect

FOX
DEKORATOR



DECORATIVE CONCRETE – this delicate and smooth decoration is perfect for interiors in minimalistic or industrial style or as a detail in more classical ones.

phases of the **EFFECT** application



phase I: Apply Decorative Concrete with a roller upon the surface previously primed with the Bonding Primer.




phase II: Smoothen the surface with a plastic trowel.



phase III: When the surface of Decorative Concrete initially dries, the tape which imitates rustications can be adhered.



phase IV: Apply the second layer upon moistened surface.



phase V: While the surface initially dries, smoothen the surface with an edge of plastic trowel.



phase VI: Remove tapes and apply colourless Decorative Varnish.



products necessary for the effect application:



BONDING
PRIMER
approx. 7 m²/kg



DECORATIVE
CONCRETE
approx. 1,1 m²/kg



DECORATIVE
VARNISH
approx. 15 m²/l




THIN TAPE
for rustications forming

BLACKBOARD paint

MAGNETIC paint

FOX
DEKORATOR



BLACKBOARD PAINT – creative supplement for kitchen, child's, living or conference room. Allows for writing down the notes which can be erased at any moment. In combination with the Magnetic Paint forms effect of school blackboard.

MAGNETIC PAINT – covered with a paint of any colour forms invisible coat which allows for attaching small magnets, posters, pictures and notes without pins or tape.

phases of the **EFFECT** application



phase I: Apply the Primer upon clean and dry surface.



phase II: Apply thin and uniform layer of the Blackboard Paint upon previously prepared and seasoned substrate.



phase II: Second coat can be applied after complete drying of the previous one (after minimum 2 hours).

products necessary for the effect application:



BLACKBOARD PAINT
approx. 10 m²/l
per layer



phase I: Apply thin and uniform layer of the Magnetic Paint upon the substrate painted with base coat paint Initium.



phase II: Second coat can be applied after complete drying of the previous one (after minimum 2 hours). Paint should be applied in at least 3 coats. As the number of layers increases, the adhesion of magnets to the surface improves.



phase III: Minimum 6 hours after drying of the last layer, apply the Blackboard Paint, acrylic or latex top coat paint (e.g. Color Matt).

products necessary for the effect application:



MAGNETIC PAINT
approx. 3.5 m²/ 0,75 l
per layer



or
COLOR MATT PAINT
approx. 15 m²/l



BLACKBOARD PAINT
approx. 10 m²/l
per layer

KALAHARI MATT paint

COLOR MATT

FOX
DEKORATOR



KALAHARI MATT – decorative paint with delicate velvety effect. This unique decoration brings elegance and style, addition of wax protects surface against day-to-day stains.

phases of the **EFFECT** application



phase I: Apply base coat paint Initium Color upon clean and dry surface.



phase II: Apply coat of Kalahari Matt with an irregular moves of brush.



phase III: After a few minutes, start surface shaping.

products necessary for the effect application:



INITIUM COLOR
approx. 9 m²/l



KALAHARI MATT
approx. 7 m²/l
per layer

combine

+



BROCADE
(optionally)

1 package / 1 l



properties

- **high resistance to washing and scrubbing** – 2nd class of resistance according to EN 13300, min. 5000 cycles according to PN 81913.
- **high opacity** - recommended for painting over even intense colors.
- **deeply matte** - with elegant and flawless finish.
- **contains wax** - for convenient cleaning and increased resistance to water and stains.
- **excellent application parameters** - easy to apply, does not splash during painting, not leave smudges.
- **vapor permeable** - ensures wall breathing and room micro-ventilation.
- **hypoallergenic** - suitable for people with allergies.
- **available in 224 colors of the FOX coloring system** - designed colour range ensures perfect match with Fox Dekorator decorative effects.




PIGMENTS FOR MANUAL COLOURING

Pigment concentrate 40 ml – pigments for manual staining of Fox Dekorator products.


- facilitates obtaining adequate colour
- repeatable colours

1 tube of Pigment Concentrate 40 ml has the same staining power as 8 tubes of Pigment 20 ml

coconut cream




natural linen




sunny glow




caramel tinge




milky cacao




ashy brown




lime rock



chocolate bar



alpine violet



orange aurora



mineral redness




raspberry sorbet




pistachio ice cream




amazon breeze




misty daybreak




menthol green




blue lagoon




breton blue




concrete loft



cassel soil



graphite greyness




AUXILIARY PRODUCTS

additive for decorative varnish **BROCADE**



silver



multicolour



gold

PACKAGING	COVERAGE	NUMBER OF COATS	COLOUR
10 g	1 package/1 l of Varnish	1-2	silver, multicolour, gold
200 g		1-2	silver, gold

additive for decorative products **MICA**



silver – fine



silver – large



gold – large

PACKAGING	COVERAGE	NUMBER OF COATS	COLOUR
50 g	1 package/5 kg of Travertine	1	silver-fine
50 g	1 package/1 l of Varnish		silver-large, gold-large

DECORATING TOOLS



Stamp for application of imitation of tree rings



Decorative paintbrush 14 cm



Decorative paintbrush 7,6 cm



Roller Dekorator brush 18 cm



Roller Dekorator smooth sponge 18 cm



Wall Scraper 4 pcs



Plastic Trowel



Venetian Plastering Trowel small 20 x 8.5 cm



Venetian Plastering Trowel trapezoid 24 x 11.7 cm



Thin Tape for rustications forming 15 m or 20 m




Set of Decorative Tools

The table is for reference only, printing colours may differ from real ones.
Pigmentation of Pigment Concentrate 40 ml made with Initium base coat paint.


PACKAGING	COVERAGE	NUMBER OF COATS	COLOUR
-----------	----------	-----------------	--------

DECORATIVE AND STRUCTURAL PAINTS


decorative effect for walls **DIAMENTO**

	1 L	approx. 10 m ² per layer	1-2	luna, venus, mars, gold, cuprum, carbon, multikolor
--	-----	--	-----	---


decorative effect for walls **DIAMENTO 3D**

	1 L	approx. 5 m ²	1	luna, mars, gold, carbon, neptun, saturn, malachit
--	-----	--------------------------	---	---


decorative effect for walls **KALAHARI**

	1 L	approx. 10 m ²	1	sol, lapis, sabulum, nebula, marinus vesper, viridis noster, noctis
--	-----	---------------------------	---	---


decorative effect for walls **KALAHARI MATT**

	1 L	approx. 7 m ²	1-2	citrine, agate, ruby, topaz, sapphire, amethyst, emerald, granite, black diamond
---	-----	--------------------------	-----	--

decorative effect for walls **PEARL ZEN**


	1 L	approx. 7 m ²	1	coconut cream, nature linen, blue lagoon, sunny glow, breton blue, raspberry sorbet, graphite greyness, cassel soil, chocolate bar
--	-----	--------------------------	---	--

granular paint **ZEN PAINT**


	1 L	approx. 7 m ²	1	white
	4 L	approx. 28 m ²		

PACKAGING	COVERAGE	NUMBER OF COATS	COLOUR
-----------	----------	-----------------	--------


structural paint **DECORATIVE CONCRETE**

	4 kg	approx. 4,5 m ²	2	grey
---	------	----------------------------	---	------


semi-transparent pearl paint **PEARL PATINA**

	1 L	approx. 12 m ²	1-2	pearl
	4 L	approx. 48 m ²		

special paint **BLACKBOARD PAINT**

	1 L	approx. 10 m ² per layer	2 or more	black
---	-----	--	-----------	-------

special paint **MAGNETIC PAINT**

	0,75 L	approx. 3,5 m ² per layer	3 or more	black
--	--------	---	-----------	-------

latex paint for interiors **COLOR MATT**


	2,5 L	approx. 36 m ²	1-2	white or transparent
	5 L	approx. 70 m ²		
	10 L	approx. 140 m ²		

base coat paint **INITIUM**


	1 L	approx. 9 m ²	1-2	white
	5 L	approx. 45 m ²		
	10 L	approx. 90 m ²		

PACKAGING	COVERAGE	NUMBER OF COATS	COLOUR
-----------	----------	-----------------	--------


set of products **SNOW DUST EFFECT**

	set	approx. 5 m ²	1	white
--	-----	--------------------------	---	-------


set of products **DECORATIVE MOSS**

	set	approx. 3,5 m ²	1 or more	green
--	-----	----------------------------	-----------	-------

decorative mass **BLACK OBSIDIAN**


	8 kg	approx. 3 m ²	1	black
--	------	--------------------------	---	-------

decorative mass **SEA SALT**


	10 kg	approx. 2,5 m ²	1-2	semitransparent
---	-------	----------------------------	-----	-----------------

PREPARATION AND PROTECTION OF WALLS

primer for structural plasters **BONDING PRIMER**


	1 kg	approx. 7 m ²	1	white
	3 kg	approx. 21 m ²		

primer for plasters and paints **PRIMER**


	1 L	approx. 8 m ²	1-2	milky
	5 L	approx. 40 m ²		

PACKAGING	COVERAGE	NUMBER OF COATS	COLOUR
-----------	----------	-----------------	--------


undercoat paint **INITIUM COLOR**

	1 L	approx. 9 m ²	1-2	grey
---	-----	--------------------------	-----	------


impregnating sealer **DECORATIVE VARNISH**

	1 L	approx. 15 m ²	1-3	matt, satin, pearl
	3 L	approx. 45 m ²		


impregnating sealer **COLORED DECORATIVE VARNISH**

	1 L	approx. 15 m ²	1-3	sunny glow, milky cacao, cassel soil
---	-----	---------------------------	-----	--------------------------------------


impregnating sealer for surfaces exposed to increased humidity **HYDROPHOBIC VARNISH**

	1 L	approx. 15 m ²	2-3	satin
	3 L	approx. 45 m ²		

colour and gloss intensifier **WAX IMPREGNATING SEALER**

	0,3 l	approx. 18 m ²	1-2	milky
---	-------	---------------------------	-----	-------

colour and gloss intensifier **DECORATIVE WAX**

	0,3 kg	approx. 18 m ²	1-2	milky
---	--------	---------------------------	-----	-------


PACKAGING	COVERAGE	NUMBER OF COATS	COLOUR
-----------	----------	-----------------	--------

STRUCTURAL PLASTERS


structural plaster **SANDSTONE**

	4 kg	approx. 4 m ²	1	white
	8 kg	approx. 8 m ²		
	16 kg	approx. 16 m ²		


plaster for spatial effects **RELIEF**

	1 kg	approx. 1,5 m ²	1-3	white
	4 kg	approx. 6 m ²		
	8 kg	approx. 12 m ²		


decorative effect for walls **PEARL RELIEF**

	1 kg	approx. 8 m ² per layer	1-2	white, silver, grey, gold, green, brown, cuprum
--	------	---------------------------------------	-----	--


decorative thin-coat plaster **CLASSIC STUCCO**

	1 kg	approx. 2 m ²	1-3	white
	4 kg	approx. 8 m ²		
	8 kg	approx. 16 m ²		

mineral decorative plaster **LIME TRAVERTINE**


	5 kg	approx. 7 m ² (super fine) approx. 4 m ² (fine) approx. 2 m ² (coarse)	2	white
	10 kg	approx. 14 m ² (super fine) approx. 8 m ² (fine) approx. 4 m ² (coarse)		

decorative lime plaster **CONCRETE**


	5 kg	approx. 3 m ²	2	grey
	10 kg	approx. 6 m ²		

PACKAGING	COVERAGE	NUMBER OF COATS	COLOUR
-----------	----------	-----------------	--------

corrosive plaster **INDUSTRIAL RUST**


	8 kg	approx. 8 m ²	1-2	grey-brown
---	------	--------------------------	-----	------------

corrosion process accelerator **RUST ACTIVATOR**


	0,5 l	approx. 8 m ²	1-3	blue
---	-------	--------------------------	-----	------

SETS OF PRODUCTS


set of products **RUST EFFECT**

	zestaw	approx. 10 m ²	1	brown-rust
---	--------	---------------------------	---	------------


set of products **BRUSHED ALUMINUM EFFECT**

	zestaw	approx. 10 m ²	1	silver-grey
--	--------	---------------------------	---	-------------

set of products **COPPER EFFECT**

	zestaw	approx. 10 m ²	1	brown-rust
---	--------	---------------------------	---	------------

set of products **HOARFROST EFFECT**

	zestaw	approx. 10 m ²	1	silver-grey
---	--------	---------------------------	---	-------------

Sopot, KOLEJNA KOLEJKA




Katowice, HOTEL MARRIOTT

Warszawa, **TRINITY PARK III**



Ustka, **HOTEL GRAND LUBICZ**



ATLAS Sp. z o.o.
ul. Św. Teresy 105
91-222 Łódź

WROCŁAW PROCESSING PLANT
ul. Gazowa 3
50-513 Wrocław

tel. +48 71 33 66 651
e-mail: fox_biuro@atlas.com.pl

www.fox-dekurator.pl