




System Solutions



ATLAS Sp. z o.o., 91-421 Łódź, ul. Kilińskiego 2
tel.: +48 42 631 88 00; fax: +48 42 631 88 88
www.atlas.com.pl, e-mail: atlas@atlas.com.pl



- **A CASE WHERE IT IS NOT POSSIBLE TO MOVE THE METER BOX AND IT DOES NOT REQUIRE SERVICE ACCESS TO THE REGULATOR VALVE**
- **THERMAL BRIDGE CANNOT BE AVOIDED DUE TO THE LACK OF INSULATION BEHIND THE METER BOX.**
- **USE PVC SYSTEM WINDOW PROFILES WITH REINFORCING MESH, ENSURING THE NECESSARY PROTECTION AGAINST RAINWATER AROUND THE METER BOX (e.g. PVC BB 13MIDI by BELLA PLAST)**



NOTICE:
THE DETAILS PROVIDED ARE INFORMATIVE AND ARE TO HELP THE DESIGNER IN SELECTING THE PROPER SOLUTIONS.
THEY ARE NOT EXHAUSTIVE AND HAVE TO BE ADAPTED BY THE DESIGNER TO THE INDIVIDUAL CIRCUMSTANCES APPROPRIATE TO THE SPECIFIC IMPLEMENTATION

THE DRAWING IS INTENDED FOR UNITED KINGDOM ONLY

No. 1.9.2 A ATLAS ETICS
WALL INSULATION AROUND METER BOX
WALL INSULATION OF THE EXISTING BUILDING
EXAMPLARY DESIGN SOLUTION