



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Atlas Fuga Ceramiczna

Creation date	04th December 2024	Revision no.	
Revision date		Version	3.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**
Substance / mixture Atlas Fuga Ceramiczna mixture
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use
Grouting mortar.
Main intended use
PC-CON-OTH Other construction products
Mixture uses advised against
The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**
Manufacturer
Name or trade name ATLAS sp. z o.o.
Address ul. Jana Kilińskiego 2, Łódź, 91-421
Poland
VAT Reg No PL9471936467
Phone +48 42 631 88 00
E-mail msds@atlas.com.pl
Web address www.atlas.com.pl
Competent person responsible for the safety data sheet
Name ATLAS sp. z o.o.
E-mail msds@atlas.com.pl
- 1.4. Emergency telephone number**
112 - emergency number
+48 800 168 083 - ATLAS INFOLINE telephone, open from Monday to Friday between 8:00 am - 4:00 pm, other information is answered by the machine.

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Skin Irrit. 2, H315
Skin Sens. 1B, H317
Eye Dam. 1, H318
STOT SE 3, H335
STOT RE 1, H372 (lungs (inhalation)) (inhalation)
Aquatic Chronic 3, H412

Most serious adverse effects on human health and the environment

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation. Causes damage to lungs (by inhalation) through prolonged or repeated exposure if inhaled. Harmful to aquatic life with long lasting effects. The titanium dioxide used contains less than 1% of the fraction in the range of 0 -10 µm.

- 2.2. Label elements**
Hazard pictogram



Signal word
Danger



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Atlas Fuga Ceramiczna

Creation date 04th December 2024 Revision no.
Revision date Version 3.1

Hazardous substances

Cement, portland, chemicals
quartz flour
Flue dust, portland cement
2-octyl-2H-isothiazol-3-one (CAS: 26530-20-1)

Hazard statements

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.
H372 Causes damage to lungs (by inhalation) through prolonged or repeated exposure if inhaled.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 IF ON SKIN: Wash with plenty of water and soap.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a doctor.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P405 Store locked up.
P501 Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier.

Supplemental information

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

Requirements for child-resistant fastenings and tactile warning of danger

Container must carry a tactile warning of danger. Container must be fitted with child-resistant fastening.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 65997-15-1 EC: 266-043-4	Cement, portland, chemicals	20-35	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Dam. 1, H318 STOT SE 3, H335	4
CAS: 14808-60-7 EC: 238-878-4	quartz flour	10-20	STOT RE 1, H372 (lungs (inhalation)) (inhalation)	
Index: 022-006-00-2 CAS: 13463-67-7 EC: 236-675-5	titanium dioxide	3-6	Carc. 2, H351 (inhalation)	1, 2, 3, 4
CAS: 1305-62-0 EC: 215-137-3	calcium hydroxide	0.5-5	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335	4



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Atlas Fuga Ceramiczna

Creation date
Revision date

04th December 2024

Revision no.
Version

3.1

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 68475-76-3 EC: 270-659-9 Registration number: 01-2119486767-17-0066	Flue dust, portland cement	0.1-0.3	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Dam. 1, H318 STOT SE 3, H335	
Index: 613-112-00-5 CAS: 26530-20-1 EC: 247-761-7	2-octyl-2H-isothiazol-3-one (CAS: 26530-20-1)	0.01-0.024	Acute Tox. 3, H301+H311 Skin Corr. 1, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071 Specific concentration limit: Skin Sens. 1A, H317: C ≥ 0.0015 % ATE Inhalation (dust/mist) = 0,27 mg/l ATE Dermal = 311 mg/kg bw ATE Oral = 125 mg/kg bw	

Notes

- Note V: If the substance is to be placed on the market as fibres (with diameter < 3 µm, length > 5 µm and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied.*
- Note W: It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung.*

This note aims to describe the particular toxicity of the substance; it does not constitute a criterion for classification according to this Regulation.
- Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm.*
- A substance for which exposure limits are set.*

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Atlas Fuga Ceramiczna

Creation date	04th December 2024	Revision no.	
Revision date		Version	3.1

If in eyes

Do not rub your eyes – it could lead to mechanical damage of the cornea. Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment if the person has any health problems.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Inhaling dust can cause corrosion of the breathing system. Cough, headache. May cause respiratory irritation.

If on skin

May cause an allergic skin reaction.

If in eyes

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale dust. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Place the product mechanically in an appropriate manner. Dispose of the collected material according to the instructions in the section 13.

6.4. Reference to other sections

See the Section 7, 8 and 13.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Atlas Fuga Ceramiczna

Creation date
Revision date

04th December 2024

Revision no.
Version

3.1

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not inhale dust. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Wash hands and exposed parts of the body thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store in closed, original and labeled packages in dry, cool and well-ventilated rooms, preferably on pallets, do not expose directly to sunlight. Store away from incompatible materials, drinks and food. Protect against moisture - the product is irreversible hardening under the influence of moisture. The bags should be stacked in a manner for stability. Under the above conditions, none are known adverse interactions.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

United Kingdom

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Substance name (component)	Type	Value
calcium hydroxide (CAS: 1305-62-0)	WEL 8h	5 mg/m ³
calcium hydroxide Respirable fraction (CAS: 1305-62-0)	WEL 8h	1 mg/m ³
	WEL 15min	4 mg/m ³

United Kingdom

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Substance name (component)	Type	Value
Cement, portland, chemicals (CAS: 65997-15-1)	WEL 8h	10 mg/m ³

Notes

Inhalable dust.

United Kingdom

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Substance name (component)	Type	Value
Cement, portland, chemicals (CAS: 65997-15-1)	WEL 8h	4 mg/m ³

Notes

Respirable dust.

United Kingdom

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Substance name (component)	Type	Value
titanium dioxide (CAS: 13463-67-7)	WEL 8h	4 mg/m ³

Notes

Respirable.

United Kingdom

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Substance name (component)	Type	Value
titanium dioxide (CAS: 13463-67-7)	WEL 8h	10 mg/m ³

Notes

Total inhalable.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Atlas Fuga Ceramiczna

Creation date
Revision date

04th December 2024

Revision no.
Version

3.1

PNEC

2-octyl-2H-isothiazol-3-one (CAS: 26530-20-1)	
Route of exposure	Value
Drinking water	2.2 µg/l
Water (intermittent release)	1.22 µg/l
Marine water	0.22 µg/l
Freshwater sediment	0.0475 mg/kg of dry substance of sediment
Sea sediments	0.00475 mg/kg of dry substance of sediment
Soil (agricultural)	0.0082 mg/kg of dry substance of soil

8.2. Exposure controls

Take off contaminated clothing and wash before reuse. Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

Use a mask with anti-dust filter when the exposition limits of the substances are exceeded or at the place with insufficient ventilation.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	
physical state	solid at 20 °C
color	white, brown, black, red, violet, blue, orange, purple, pink, grey, green, yellow
Odour	data not available
pH	10-11 (undiluted)
Cement, portland, chemicals (CAS: 65997-15-1)	11-13.5 (50% solution at 20 °C)
Melting point/freezing point	data not available
Initial boiling point and boiling range	data not available
Flash point	data not available
Flammability (solid, gas)	data not available
Upper/lower flammability or explosive limits	
explosive limits	data not available
Vapour pressure	data not available
Solubility(ies)	
solubility in water	data not available
Partition coefficient: n-octanol/water	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
Viscosity	
Kinematic viscosity	data not available



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Atlas Fuga Ceramiczna

Creation date	04th December 2024	Revision no.	
Revision date		Version	3.1

Density
Cement, portland, chemicals (CAS: 65997-15-1)
data not available

1.2-1.5 g/cm³
2.75-3.20 g/cm³ at 20 °C

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

No toxicological data is available for the mixture.

Acute toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

2-octyl-2H-isothiazol-3-one (CAS: 26530-20-1)					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD ₅₀	125 mg/kg bw			
Inhalation	LC ₅₀	270 mg/m ³			
Dermal	LD ₅₀	311 mg/kg bw			
Inhalation (dust/mist)	ATE	0.27 mg/l			
Dermal	ATE	311 mg/kg bw			
Oral	ATE	125 mg/kg bw			

Skin corrosion/irritation

Causes skin irritation. Data for the components of the mixture are not available.

2-octyl-2H-isothiazol-3-one (CAS: 26530-20-1)			
Route of exposure	Result	Exposure time	Species
	Corrosive		

Serious eye damage/irritation

Causes serious eye damage. Data for the components of the mixture are not available.

2-octyl-2H-isothiazol-3-one (CAS: 26530-20-1)			
Route of exposure	Result	Exposure time	Species
	Serious eye damage		



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Atlas Fuga Ceramiczna

Creation date

04th December 2024

Revision no.

Revision date

Version

3.1

Respiratory or skin sensitisation

May cause an allergic skin reaction. Data for the components of the mixture are not available.

Sensitization

2-octyl-2H-isothiazol-3-one (CAS: 26530-20-1)

Route of exposure	Result	Exposure time	Species	Sex
Dermal	Sensitizing			

Germ cell mutagenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Carcinogenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Reproductive toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - single exposure

May cause respiratory irritation. Data for the components of the mixture are not available.

Toxicity for specific target organ - repeated exposure

Causes damage to lungs (by inhalation) through prolonged or repeated exposure if inhaled. Data for the components of the mixture are not available.

Aspiration hazard

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects. Data for the components of the mixture are not available.

Acute toxicity

2-octyl-2H-isothiazol-3-one (CAS: 26530-20-1)

Parameter	Value	Exposure time	Species	Environment
LC ₅₀	0.122 mg/l		Fish	
LC ₅₀	0.181 mg/l		Aquatic invertebrates	
EC ₅₀	0.15 mg/l		Algae	

Chronic toxicity

2-octyl-2H-isothiazol-3-one (CAS: 26530-20-1)

Parameter	Value	Exposure time	Species	Environment
NOEC	0.022 mg/l			
NOEC	0.035 mg/l		Aquatic invertebrates	
NOEC	0.068 mg/l		Algae	

12.2. Persistence and degradability



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Atlas Fuga Ceramiczna

Creation date	04th December 2024	Revision no.	
Revision date		Version	3.1

No data are available for either the mixture or the components.

12.3. Bioaccumulative potential

No data are available for either the mixture or the components.

12.4. Mobility in soil

No data are available for either the mixture or the components.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Producer Responsibility Obligations (Packaging Waste) Regulations 2007 (S.I. No. 871 of 2007). Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

14.1. UN number

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Clean Air Act 1993 as amended. The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. Public health act 1961. Environmental Protection Act 1990 as amended. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

not available



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Atlas Fuga Ceramiczna

Creation date
Revision date

04th December 2024

Revision no.
Version

3.1

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

EUH071	Corrosive to the respiratory tract.
EUH212	Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.
H301+H311	Toxic if swallowed or in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer if inhaled.
H372	Causes damage to lungs (by inhalation) through prolonged or repeated exposure if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P102	Keep out of reach of children.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water and soap.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a doctor.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P405	Store locked up.
P501	Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

Acute Tox.	Acute toxicity
ADR	European agreement concerning the international carriage of dangerous goods by road
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
BCF	Bioconcentration Factor
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC ₅₀	Concentration of a substance when it is affected 50 % of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
Eye Dam.	Serious eye damage
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Atlas Fuga Ceramiczna

Creation date	04th December 2024	Revision no.	
Revision date		Version	3.1

ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
log K _{ow}	Octanol-water partition coefficient
MARPOL	International Convention for the Prevention of Pollution from Ships
NOEC	No observed effect concentration
OEL	Occupational Exposure Limits
PBT	Persistent, bioaccumulative and toxic
PMT	Persistent, mobile and toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
Skin Corr.	Skin corrosion
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very persistent and very bioaccumulative
vPvM	Very persistent and very mobile

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.