

PREPARAT GRUNTUJĄCY EUROGRUNT 300

Creation date	23rd March 2012	Version	5.5
Revision date	30th July 2021		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**
Substance / mixture
PREPARAT GRUNTUJĄCY EUROGRUNT 300
mixture
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use
EUROGRUNT 300 primer, after dilution, is intended for priming absorbent and porous surfaces made of cellular concrete, brick, ceramic and silicate blocks, cement-particle boards, gypsum and gypsum boards as well as gypsum, cement and cement-lime plasters.
Mixture uses advised against
not available
- 1.3. Details of the supplier of the safety data sheet**
Manufacturer
Name or trade name
IZOHAN sp. z o.o.
Address
Łużycka 2, Gdynia, 81-963
Poland
Identification number (CRN)
191528483
VAT Reg No
PL5862073821
Phone
+48 58 781 45 85
E-mail
info@izohan.eu
Web address
www.izohan.eu
Supplier
Name or trade name
ATLAS sp. z o.o.
Address
ul. Jana Kilińskiego 2, Łódź, 91-421
Poland
VAT Reg No
PL9471936467
Phone
+48 42 631 89 45
E-mail
msds@atlas.com.pl
Web address
www.atlas.com.pl
Competent person responsible for the safety data sheet
Name
ATLAS sp. z o.o.
E-mail
msds@atlas.com.pl
- 1.4. Emergency telephone number**
112 - emergency number
+48 801 101 507 - telephone INFOLINE DOLINA NIDY, open from Monday to Friday between 8:00 am - 4:00 pm, other hours the information is received by the machine.

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008
The mixture is not classified as dangerous according to Regulation (EC) No 1272/2008.
Full text of all classifications and hazard statements is given in the section 16.
- 2.2. Label elements**
Supplemental information
EUH208
Contains Reaction mass: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3: 1) (CAS: 55965-84-9). May produce an allergic reaction.
- 2.3. Other hazards**
The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Contains biocidal products Tetrahydro-1,3,4,6-tetrakis (hydroxymethyl) imidazo [4,5-d] imidazol-2,5 (1H, 3H) -dione CAS: 5395-50-6 Post-reaction mass 5-chloro 2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3: 1). CAS: 55965-84-9

PREPARAT GRUNTUJĄCY EUROGRUNT 300

Creation date 23rd March 2012
 Revision date 30th July 2021 Version 5.5

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Chemical characterization**

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 5395-50-6 EC: 226-408-0	Tetrahydro-1,3,4,6-tetrakis (hydroxymethyl) imidazo [4,5-d] imidazole-2,5 (1H, 3H) -dione (CAS: 5395-50-6)	0,05-0,1	Skin Sens. 1B, H317	
Index: 613-167-00-5 CAS: 55965-84-9	Reaction mass: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3: 1) (CAS: 55965-84-9)	0-0,00149	Acute Tox. 3, H301 Acute Tox. 2, H310+H330 Skin Corr. 1C, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071 Specific concentration limit: Eye Irrit. 2, H319: $0,06 \% \leq C < 0,6 \%$ Skin Sens. 1A, H317: $C \geq 0,0015 \%$ Skin Irrit. 2, H315: $0,06 \% \leq C < 0,6 \%$ Skin Corr. 1C, H314: $C \geq 0,6 \%$ Eye Dam. 1, H318: $C \geq 0,6 \%$	1

Notes

- 1 Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures**

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

If on skin

Remove contaminated clothes.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person.

If swallowed

Rinse out the mouth with clean water. In the event of issues, find medical help.

PREPARAT GRUNTUJĄCY EUROGRUNT 300

Creation date	23rd March 2012		
Revision date	30th July 2021	Version	5.5

4.2. Most important symptoms and effects, both acute and delayed**If inhaled**

Not expected.

If on skin

Not expected.

If in eyes

Not expected.

If swallowed

Not expected.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Accommodate extinguishing components to the location of fire.

Unsuitable extinguishing media

not available

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves. Use a self-contained breathing apparatus and full-body protective clothing.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Follow the instructions in the Sections 7 and 8.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

After removal of the product, wash the contaminated site with plenty of water.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

Content	Packaging type	Material of package
5 kg	bucket	PP
10 kg	bucket	PP
15 kg	bucket	PP

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

The mixture contains substances for which occupational exposure limits are set.

PREPARAT GRUNTUJĄCY EUROGRUNT 300

Creation date	23rd March 2012		
Revision date	30th July 2021	Version	5.5

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

It is not needed.

Skin protection

When handling in long-term or repeatedly, use protective gloves.

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state	liquid
Colour	green
Odour	Characteristic for acrylic dispersion
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	>100 °C
Flammability	non-inflammable
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not determined
pH	8-9 (undiluted)
Kinematic viscosity	not determined
Viscosity	9000 cP (Brookfield DV II+S05 20 rpm)
Solubility in water	miscible
Partition coefficient n-octanol/water (log value)	not determined
Vapour pressure	not determined
Density and/or relative density	
Density	1 g/cm ³
Relative vapour density	not determined
Particle characteristics	not determined
Form	liquid

9.2. Other information

not available

SECTION 10: Stability and reactivity**10.1. Reactivity**

When used in the standard way, there is not any dangerous reaction with other substances.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

PREPARAT GRUNTUJĄCY EUROGRUNT 300

Creation date	23rd March 2012		
Revision date	30th July 2021	Version	5.5

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

More information

Data for the main components of the product (synthetic resin dispersion):

- Acute oral toxicity (rat): > 5000 mg / kg
- Irritating effect on the skin (rabbit skin): not irritating
- Eye irritation (rabbit eye): Irritating

11.2. Information on other hazards

not available

SECTION 12: Ecological information**12.1. Toxicity**

PREPARAT GRUNTUJĄCY EUROGRUNT 300

Creation date	23rd March 2012	Version	5.5
Revision date	30th July 2021		

Acute toxicity

Toxicity: Data for the main components of the product (synthetic resin dispersion):

- fish: LC50 > 500 mg / l (96h, zebra fish)
- bacteria: EC0 approx. 1000 mg / l

COD: approx. 800 mg / g

Tetrahydro-1,3,4,6-tetrakis (hydroxymethyl) imidazo [4,5-d] imidazole-2,5 (1H, 3H) -dione (CAS: 5395-50-6)

Parameter	Method	Value	Time of exposure	Species	Environment
EC ₅₀	OECD 202	38.9 mg/l	48 hour	Daphnia (Daphnia magna)	
LC ₅₀	OECD 203	17.6 mg/kg	96 hour	Fishes (Oncorhynchus mykiss)	
NOEC	OECD 211	11.2 mg/l	21 day	Other aquatic organisms (Daphnia magna)	
NOEC	OECD 201	3.93 mg/l	72 hour	Algae (Selenastrum capricornutum)	
EC ₅₀	OECD 209	>1000 mg/kg	0,5 hour	Other aquatic organisms	

12.2. Persistence and degradability**Biodegradability**

Tetrahydro-1,3,4,6-tetrakis (hydroxymethyl) imidazo [4,5-d] imidazole-2,5 (1H, 3H) -dione (CAS: 5395-50-6)

Parameter	Method	Value	Time of exposure	Environment	Result
	OECD 301A	>70 %			

not available

12.3. Bioaccumulative potential

Tetrahydro-1,3,4,6-tetrakis (hydroxymethyl) imidazo [4,5-d] imidazole-2,5 (1H, 3H) -dione (CAS: 5395-50-6)

Parameter	Method	Value	Time of exposure	Species	Environment	Surrounding temperature [°C]
EC ₅₀	OECD 201	8.5 mg/l	72 hour	Other aquatic organisms (Desmodesmus subspicatus)		
BCF	OECD 107	1.41				

Data not available.

12.4. Mobility in soil

Data not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

PREPARAT GRUNTUJĄCY EUROGRUNT 300

Creation date	23rd March 2012		
Revision date	30th July 2021	Version	5.5

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

Packaging waste type code

15 01 02 plastic packaging

SECTION 14: Transport information**14.1. UN number or ID number**

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. Environmental Protection Act 1990 as amended. Clean Air Act 1993 as amended. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

15.2. Chemical safety assessment

not available

More information

The maximum VOC content in the product is 2.13 g / l. Permissible VOC content 30 g / l Category A / h / FW

SECTION 16: Other information**A list of standard risk phrases used in the safety data sheet**

H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

PREPARAT GRUNTUJĄCY EUROGRUNT 300

Creation date	23rd March 2012	Version	5.5
Revision date	30th July 2021		

H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H310+H330	Fatal in contact with skin or if inhaled.

A list of additional standard phrases used in the safety data sheet

EUH208	Contains Reaction mass: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3: 1) (CAS: 55965-84-9). May produce an allergic reaction.
EUH071	Corrosive to the respiratory tract.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC ₅₀	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
log K _{ow}	Octanol-water partition coefficient
MARPOL	International Convention for the Prevention of Pollution from Ships
NOEC	No observed effect concentration
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative

Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Eye Dam.	Serious eye damage
Eye Irrit.	Eye irritation
Skin Corr.	Skin corrosion
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization

Training guidelines

PREPARAT GRUNTUJĄCY EUROGRUNT 300

Creation date	23rd March 2012		
Revision date	30th July 2021	Version	5.5

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.