



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Atlas Zaprawa Murarska do klinkieru

Creation date 07th February 2022
Revision date Version 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**
Substance / mixture Atlas Zaprawa Murarska do klinkieru
mixture
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use
Masonry mortar.
Main intended use
PC-CON-4 Mortars
Mixture uses advised against
The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**
Manufacturer
Name or trade name ATLAS sp. z o.o.
Address ul. Jana Kilińskiego 2, Łódź, 91-421
Poland
VAT Reg No PL9471936467
Phone +48 42 631 89 45
E-mail msds@atlas.com.pl
Web address www.atlas.com.pl
- Competent person responsible for the safety data sheet**
Name ATLAS sp. z o.o.
E-mail msds@atlas.com.pl
- 1.4. Emergency telephone number**
112 - emergency number
+48 800 168 083 - ATLAS INFOLINE telephone, open from Monday to Friday between 8:00 am - 4:00 pm, other information is answered by the machine.

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008
The mixture is classified as dangerous.

Skin Irrit. 2, H315
Skin Sens. 1, H317
Eye Dam. 1, H318
STOT SE 3, H335

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse effects on human health and the environment

May cause respiratory irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes skin irritation.

- 2.2. Label elements**
Hazard pictogram



Signal word
Danger

Hazardous substances
Cement, portland, chemicals

Hazard statements
H315 Causes skin irritation.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Atlas Zaprawa Murarska do klinkieru

Creation date	07th February 2022	Version	1.1
Revision date			

H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
Precautionary statements	
P102	Keep out of reach of children.
P261	Avoid breathing dust.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container to properly marked containers for selective waste collection emptied by an authorized company.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 65997-15-1 EC: 266-043-4 Registration number: 02-2119682167-31-xxxx	Cement, portland, chemicals	15-25	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Dam. 1, H318 STOT SE 3, H335	1
CAS: 68475-76-3 EC: 270-659-9	Flue dust, portland cement	0,1-0,3	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Dam. 1, H318 STOT SE 3, H335	

Notes

1 Substance with a Union workplace exposure limit.

Full text of all classifications and hazard statements is given in the section 16.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Atlas Zaprawa Murarska do klinkieru

Creation date

07th February 2022

Revision date

Version

1.1

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eyes

Do not rub your eyes – it could lead to mechanical damage of the cornea. Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment if the person has any health problems.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Inhaling dust can cause corrosion of the breathing system. May cause respiratory irritation.

If on skin

May cause an allergic skin reaction.

If in eyes

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale dust. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Atlas Zaprawa Murarska do klinkieru

Creation date

07th February 2022

Revision date

Version

1.1

6.3. Methods and material for containment and cleaning up

Place the product mechanically in an appropriate manner. Dispose of the collected material according to the instructions in the section 13.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale dust. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Wash hands and exposed parts of the body thoroughly after handling. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in closed, original and labeled packages in dry, cool and well-ventilated rooms, preferably on pallets, do not expose directly to sunlight. Store away from incompatible materials, drinks and food. Protect against moisture - the product is irreversible hardening under the influence of moisture. The bags should be stacked in a manner for stability. Under the above conditions, none are known adverse interactions.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

United Kingdom

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Substance name (component)	Type	Value	Note
Cement, portland, chemicals (CAS: 65997-15-1)	WEL 8h	10 mg/m ³	inhalable dust
	WEL 8h	4 mg/m ³	respirable dust
calcium carbonate (CAS: 1317-65-3)	WEL 8h	10 mg/m ³	inhalable dust
	WEL 8h	4 mg/m ³	respirable
diiron trioxide (fume) (CAS: 1309-37-1)	WEL 8h	5 mg/m ³	As Fe
	WEL 15min	10 mg/m ³	
diiron trioxide (CAS: 1309-37-1)	WEL 8h	10 mg/m ³	total inhalable
	WEL 8h	4 mg/m ³	respirable
carbon black (CAS: 1333-86-4)	WEL 8h	3,5 mg/m ³	
	WEL 15min	7 mg/m ³	

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Atlas Zaprawa Murarska do klinkieru

Creation date

07th February 2022

Revision date

Version

1.1

Respiratory protection

Use a mask with anti-dust filter when the exposition limits of the substances are exceeded or at the place with insufficient ventilation.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	solid
Colour	brown, black, red, grey, yellow
Odour	data not available
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	10-11 (undiluted)
Cement, portland, chemicals (CAS: 65997-15-1)	11-13,5 (50% solution at 20 °C)
Kinematic viscosity	data not available
Solubility in water	data not available
Cement, portland, chemicals (CAS: 65997-15-1)	częściowo rozpuszczalny
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	1,3-1,6 g/cm ³
Cement, portland, chemicals (CAS: 65997-15-1)	2,75-3,20 g/cm ³ at 20 °C
Relative vapour density	data not available
Particle characteristics	data not available
data not available	

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Atlas Zaprawa Murarska do klinkieru

Creation date

07th February 2022

Revision date

Version

1.1

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

calcium carbonate

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Oral		>5000 mg/kg		Rat (Rattus norvegicus)	

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

May cause respiratory irritation.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

not available

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Data for the mixture are not available.

12.2. Persistence and degradability

not available

12.3. Bioaccumulative potential

Data not available.

12.4. Mobility in soil

Data not available.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Atlas Zaprawa Murarska do klinkieru

Creation date

07th February 2022

Revision date

Version

1.1

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. Environmental Protection Act 1990 as amended. Clean Air Act 1993 as amended. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

15.2. Chemical safety assessment

not available

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H315

Causes skin irritation.

H317

May cause an allergic skin reaction.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Atlas Zaprawa Murarska do klinkieru

Creation date

07th February 2022

Revision date

Version

1.1

H318

Causes serious eye damage.

H335

May cause respiratory irritation.

Guidelines for safe handling used in the safety data sheet

P102

Keep out of reach of children.

P261

Avoid breathing dust.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P333+P313

If skin irritation or rash occurs: Get medical advice/attention.

P501

Dispose of contents/container to properly marked containers for selective waste collection emptied by an authorized company.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR

European agreement concerning the international carriage of dangerous goods by road

BCF

Bioconcentration Factor

CAS

Chemical Abstracts Service

CLP

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures

EINECS

European Inventory of Existing Commercial Chemical Substances

EmS

Emergency plan

EuPCS

European Product Categorisation System

IATA

International Air Transport Association

IBC

International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals

ICAO

International Civil Aviation Organization

IMDG

International Maritime Dangerous Goods

INCI

International Nomenclature of Cosmetic Ingredients

ISO

International Organization for Standardization

IUPAC

International Union of Pure and Applied Chemistry

log Kow

Octanol-water partition coefficient

LZO

Volatile organic compounds

MARPOL

International Convention for the Prevention of Pollution from Ships

OEL

Occupational Exposure Limits

PBT

Persistent, Bioaccumulative and Toxic

ppm

Parts per million

REACH

Registration, Evaluation, Authorisation and Restriction of Chemicals

RID

Agreement on the transport of dangerous goods by rail

UE

European Union

UN

Four-figure identification number of the substance or article taken from the UN Model Regulations

UVCB

Substances of unknown or variable composition, complex reaction products or biological materials

vPvB

Very Persistent and very Bioaccumulative

WE

Identification code for each substance listed in EINECS

Eye Dam.

Serious eye damage

Skin Irrit.

Skin irritation

Skin Sens.

Skin sensitization

STOT SE

Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Atlas Zaprawa Murarska do klinkieru

Creation date

07th February 2022

Revision date

Version

1.1

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.