

UK Declaration of Conformity no. 085-3S/1-UK/CPR



Unique identification code of the product-type:	ATLAS ENDER S (2022)
Intended use or uses:	In buidlings and civil engineering works.
Manufacturer:	Atlas sp. z o.o. Jana Kilińskiego 2 St., 91-421 Łódź, Poland www.atlas.com.pl
System or systems of AVCP:	System 2+
Designated standard:	EN 1504-3:2005 Approved no. 1488 Instytut Techniki Budowlanej

Declared performance:	
Essential characteristics	Performance
Compressive strength	Class R3
Chloride ion content	≤ 0.05%
Adhesive bond	≥ 1.5 MPa
Restrained Shrinkage / expansion	≥ 1.5 MPa
Carbonation resistance	NPD
Elastic modulus	≥ 15 GPa
Thermal compatibility	≥ 1.5 MPa
Skid resistance	Class I and II
Coefficient of Thermal expansion	NPD
Capillary absorption	≤ 0.5 kg/m ² h ^{0.5}
Reaction to fire	A1
Dangerous substances	NPD

The performance of the product is in conformity with the declared performance range.

This declaration of performance is issued in accordance to Regulation (EU) 305/2011 as it has effect in the United Kingdom under sole responsibility of the manufacturer listed above.

Signed for and on behalf of the manufacturer by Patrycja Stasiak in Łódź, on 23.01.2024.

ATLAS sp. z o.o.
Dyrektor ds. Jakości
Stasiak
Patrycja Stasiak